AI Vending Machine

FCV-CFZ-530(H24)-V AI Smart Cooler

TECHNICAL OVERVIEW | FCV-CFZ-530(H24)-V

This open-grab AI cooler uses adjustable shelves and a door-access checkout workflow. The exact FCV-CFZ-530(H24)-V parameter graphic publishes a 530 L cabinet, H 2090 × W 700 × D 640 mm and 125 kg. Display and terminal choices are configurations: HTML describes a 21.5-inch advertising display, while the model-coded graphic lists an optional 24-inch strip display. Neither figure establishes a universal customer touchscreen size.

Model summary

FCV catalogue reference	FCV-CFZ-530(H24)-V
Category	AI Vending Machine
Screen	Confirm the supplied display configuration
Cabinet volume	530 L (model-coded graphic)
Dimensions	H2090 × W700 × D640 mm (model-coded graphic)
Weight	125 kg (model-coded graphic)
Shelves	Standard six adjustable layers; photo illustrates five stocked levels

Published source configurations

These source descriptions are kept separate. They do not establish that every value belongs to one supplied unit; the FCV quotation identifies the accepted configuration.

Configuration 1

Source model: FCV-CFZ-530(H24)-V / 1

A separately published source schedule, not a demonstrated production revision or a promise of the supplied build.

Cabinet volume	530 L
Dimensions	H2090 × W700 × D640 mm
Weight	125 kg
Voltage frequency	110 V / 50 Hz
Storage temperature	0-10°C as published; confirm intended build
Shelves	Standard 6 adjustable layers
Advertising display	24-inch strip screen (optional)
Terminal configuration	A:10.1-inch + Nayax; B:Pax (optional)

Configuration 2

Source model: FCV-CFZ-530(H24)-V / 2

A separately published source schedule, not a demonstrated production revision or a promise of the supplied build.

Advertising display	21.5-inch top advertising display; separate from graphic option



Illustrative FCV-branded concept render. Verify the quoted physical configuration.

Configuration and quotation

Specifications reflect the cited source configuration. Optional accessories and alternative configurations are not included as standard unless explicitly identified in the quotation. Confirm payment hardware, power requirements, installation access and service scope for the intended site. No price, stock quantity, delivery date or certification is implied by this overview.

Configuration details to confirm

HTML advertises 21.5-inch top display while parameter graphic gives optional 24-inch strip screen.

Standard six-layer parameter and five-level illustrated loading differ; retain both as qualified source examples.

Advertising display sizes are alternative source presentations:21.5-inch HTML and optional24-inch strip display in the exact model-coded graphic. The customer-interaction screen size is not universally established.

Adjustable-shelf open-grab cabinet

This cabinet uses an unlocked access door and adjustable shelves rather than a motorised product drop. The official workflow is authorise, take products and close the door for checkout.

Illustrated/source-published configuration only; supplied cabinet configuration must be checked against its documented build.

Storage / equipment zone	Documented source layout
Adjustable cabinet shelves	The parameter graphic publishes six standard adjustable layers. The product photograph illustrates five stocked levels; these are not interchangeable configuration guarantees.

- Authorise access at the installed payment terminal.
- Open the cabinet and remove the chosen products.
- Close the door; the source describes item recognition and checkout after closure.

Configuration details

Prepared 27 November 2026 for the FCV product catalogue. Confirm the supplied configuration and site requirements with the FCV team before ordering.

Product information

This FCV technical overview describes the listed equipment configuration. The written quotation confirms the machine, accepted product packs, accessories and service scope supplied for your location.

Confirm before purchase

Ask FCV for the exact model and revision, supplied options, current technical sheet, site suitability, warranty, maintenance scope and written commercial terms. Product images, where present, are conceptual branded renders rather than installation evidence.

Website

first-classvending.com