Healthy Food Vending Machine

FCV-CEL-11L(32SP) Fresh Food Vending Machine

TECHNICAL OVERVIEW | FCV-CEL-11L(32SP)

The egg-vending source contains two differently named configurations. Its printed image identifies FCV-CEL-11L(32SP), with 1940 mm height, 1624 mm width, 850 mm depth and 420 kg weight. That image lists 66 choices and about 330-800 pieces depending on goods size, alongside adjustable 4-25°C refrigeration and an MDB/DEX interface. The HTML heading instead names FCV-CEL-11L(32SP), and its table lists 60 slots and a 240-300 storage range. Several CEL cells are malformed, including width and weight, so they should not be repaired by guessing or combined with the D900 values. A customer-facing display is pictured, but no inspected image verifies its numeric diagonal. Egg cartons require product-specific loading and dispensing tests before capacity or installation dimensions are accepted.

Model summary

FCV catalogue reference	FCV-CEL-11L(32SP)
Category	Healthy Food Vending Machine
Screen	Confirm the supplied display configuration

Documented equipment features

- The source illustrates packaged-egg storage and dispensing detection.

Published source configurations

These source descriptions are kept separate. They do not establish that every value belongs to one supplied unit; the FCV quotation identifies the accepted configuration.

Configuration 1

Source model: FCV-CEL-11L(32SP) / 1

Exact printed image values; not proven identical to the CEL heading/table configuration.

Dimensions (H×W×D)	1940 ×1624 ×850 mm
Weight	420 kg
Selections	66 choices
Capacity	About 330-800 pieces according to goods size
Temperature	4-25°C adjustable
Supply	AC 100 V/240 V,50/60 Hz
Interface	MDB/DEX

Configuration 2

Source model: FCV-CEL-11L(32SP) / 2

Preserve separate from the D900 image. Width, weight and voltage cells are malformed; no corrected values are asserted.

Published slot quantity	60 slots
Published storage range	240-300; units not stated in cell
Published power	750 W refrigerated /80 W normal



Illustrative FCV-branded concept render. Verify the quoted physical configuration.

Configuration and quotation

Specifications reflect the cited source configuration. Optional accessories and alternative configurations are not included as standard unless explicitly identified in the quotation. Confirm payment hardware, power requirements, installation access and service scope for the intended site. No price, stock quantity, delivery date or certification is implied by this overview.

Configuration details to confirm

The HTML CEL identity and the printed D900 identity remain separate; the page does not establish their equivalence.

Malformed CEL width, weight and lower-voltage branch are excluded. No screen diagonal is inferred from 32SP or a unitless display cell.

Compare the two published internal configurations

The page heading and printed parameter image identify different models. Compare their published selection counts separately; neither is a verified egg-carton loading plan.

Storage / equipment zone	Documented source layout
CEL heading / HTML table	FCV-CEL-11L(32SP): 60 slots and a reference capacity of 240-300; malformed width and weight are withheld.
D900 printed image	FCV-CEL-11L(32SP): 66 choices and about 330-800 pieces depending on goods size. These are separate source claims, not one combined specification.

- Confirm the exact OEM configuration before selecting a layout.
- Test the sealed egg cartons or other product packs with the quoted dispensing mechanism.

Configuration details

Prepared 27 November 2026 for the FCV product catalogue. Confirm the supplied configuration and site requirements with the FCV team before ordering.

Configuration confirmation

Some equipment configuration details require further confirmation. The catalogue entry is not proof of current FCV stock or a completed site-specific technical acceptance. Unknown fields remain unverified.

Product information

This FCV technical overview describes the listed equipment configuration. The written quotation confirms the machine, accepted product packs, accessories and service scope supplied for your location.

Confirm before purchase

Ask FCV for the exact model and revision, supplied options, current technical sheet, site suitability, warranty, maintenance scope and written commercial terms. Product images, where present, are conceptual branded renders rather than installation evidence.

Website

first-classvending.com