SNACKS + COLD DRINKS / 22-INCH TOUCHSCREEN

Snacks. Drinks. Your brand.

One model, three genuine views. Choose the finish and configure the machine around your products.

22 inch
CUSTOMER DISPLAY

6 standard
SHELVES / 7 MAXIMUM

~300 pieces
PACK-SIZE DEPENDENT



LEFT-FACING	FRONT VIEW	RIGHT-FACING
Cedar	Lagoon	Rosewood

Configured for your products.

The three authentic source views show the same seven-level example in illustrative finishes. Six shelves are standard; seven are the maximum. Product size and the selected configuration determine final capacity and loading.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Office / staff break area

AUDIENCE

Match products to attendance and break patterns.

ACCESS

Agree access hours and a practical restocking route.

SITE CHECK

Check power, level placement and service access.



Mall / retail circulation

Plan visibility without obstructing circulation. Agree landlord approvals, service access and permitted customer hours.



Enclosed transit interior

An indoor concept, not an outdoor rating. Assess heat, humidity, security and site approvals before committing.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1950 mm
CABINET HEIGHT

22 inch
CUSTOMER DISPLAY

~300 pieces
PACK-SIZE DEPENDENT

Cabinet + interface

Dimensions H x W x D	**1950 x 882 x 840 mm**
Weight	**240 kg**
Construction	**Metal cabinet**
Display	**22-inch touchscreen**

Loading + release

Shelves	**6 standard / 7 maximum**
Selections	**Up to 60**
Storage reference	**About 300 pieces; pack dependent**
Release options	**Spring / conveyor / pusher / universal**




PHOTO: SEVEN-LEVEL EXAMPLE

Confirm fitted shelves and mechanism before ordering.

ELECTRICAL + INTERFACE

570 W refrigerated / 60 W normal

Supply options: AC 110-120 V or 220-240 V, 50/60 Hz. Confirm the supplied unit rating.

MDB / DEX interface

COOLING + PACK FIT

4-25°C adjustable

Pack reference: min. 100 x 40 x 10 mm / 20 g; max. 200 x 150 x 150 mm / 500 g. Test the actual packaging.

Refrigerant choices: R1234YF / R290 / R513A / 134A. Confirm the unit label.

Published watts are not daily energy use.

The reviewed model source provides no measured kWh/day figure. Estimate daily cost from a measured or validated duty profile, ambient conditions, setpoint and loading.

Site readiness: confirm access route, level placement, power, ventilation and service clearance. Exact clearances, network provision and warranty scope require confirmation.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

22-inch HD touchscreen. Cloud IoT capability and a management system are listed; exact functions and user access are agreed in scope.

A configurable system

Select branding, interface, integration and fitted hardware to match the agreed setup. Optional choices are shown below.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Cashless choices: Nayax / PAX	Select terminal and provider
NFC / contactless	Capability described	Confirm enabled methods
QR / scan	Capability described	Agree provider and setup
Cash / banknotes **Coins** **Coin changer / change**	Not documented for this exact configuration	Do not assume these devices are fitted. Confirm the actual configuration.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

Custom branding / wrap
CONFIRM SELECTED FITMENT

Multilingual interface
CONFIRM SELECTED FITMENT

Shopping cart
CONFIRM SELECTED FITMENT

System integration
CONFIRM SELECTED FITMENT


Castors
CONFIRM SELECTED FITMENT

Cashless provider
CONFIRM SELECTED FITMENT


PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

See the seven-level example.

Six shelves are standard; seven are the published maximum. The photographed seven-level cabinet below is a reference, not a fixed lane-by-lane loading plan.



FULL CABINET



PHOTOGRAPHED PRODUCT BAY

1. Bottled drinks
2. Bottled drinks
3. Canned drinks
4. Canned drinks
5. Small snack packs
6. Small snack packs
7. Sealed bowl / tub packs

The items shown illustrate the photographed stock, not final allocation or guaranteed vend fit.

Confirm the loading plan

PACK

Measure width, depth, height and weight. Check the actual packaging.

MECHANISM

Select release system, lane width and shelf spacing.

QUANTITY

Record lanes, spiral pitch if applicable, units per lane and row total.

VEND TEST

Load the agreed packs and confirm reliable delivery before sign-off.

Seven-level photo reference. Final lane widths, quantities and release mechanisms are confirmed for the ordered machine.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps