FCV-CSC-8G(V10) / SNACKS + DRINKS

Everyday choice. Your brand.

A touchscreen snack-and-drink format in three genuine views. Confirm the supplied cabinet, loading plan and fitted options.

10-inch
PUBLISHED DISPLAY

6 shown
PHOTOGRAPHED LEVELS

~240 pcs
SOURCE / BY PACK SIZE



LEFT-FACING	FRONT VIEW	RIGHT-FACING
Cedar	Lagoon	Rosewood

Configured for your products.

Illustrative finishes on genuine source views. Capacity depends on packs and configuration; confirm the supplied finish and loading test before ordering.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Workplace refreshment

AUDIENCE

An indoor snack-and-drink concept for staff breaks.

ACCESS

Review daily users, existing pantry provision and restocking access.

SITE CHECK

Check the 885 mm source width, door opening and service clearance.



Indoor campus lounge

An illustrative snack-and-drink point for adult campus users.



Hotel business lounge

A planned indoor refreshment point near adult guest waiting space.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1950 mm
HTML HEIGHT*

10-inch
SOURCE DISPLAY

~240 pcs
SOURCE / BY PACK SIZE

Cabinet + interface

HTML H x W x D*	**1950 x 885 x 790 mm**
Source net weight	**240 kg; confirm supplied unit**
Published display	**10-inch HTML; portrait touch UI**
Source protocol listings	**MDB / DEX / EXE**

Loading + release

Photographed levels	**Six; HTML six std / seven max**
Published choices	**48; agree actual lane layout**
Source storage reference	**About 240 pcs; by pack size**
Mechanism options	**Spring / conveyor / pusher***



PHOTO: SIX STOCKED LEVELS

Pictured stock is an example, not an agreed shelf-by-shelf loading plan.

ELECTRICAL + INTERFACE

510 W / 60 W (HTML)

HTML supply: AC110-120 / 220-240 V, 50/60 Hz. Graphic: 100/240 V, 50/60 Hz. Confirm the supplied rating plate.

Daily kWh: not established

COOLING + PACK FIT

4-25C adjustable

Published temperature range; confirm the supplied refrigeration configuration and test actual product suitability.

Refrigerant: confirm supplied unit label.

Published watts are not daily energy use.

510/60 W are source refrigerated/normal ratings, not measured kWh/day. Obtain actual energy data for your operating conditions.

Graphic height: 1940 mm versus HTML 1950 mm; screen described as 10 inch in HTML and 10.1 inch in body artwork. Confirm the supplied unit and tested loading plan.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

Published 10-inch touchscreen; body artwork says 10.1 inch. Language, cart and management options require agreed software scope.

A configurable system

Published LED lighting, glass defogging and delivery detection. Confirm the supplied hardware, operation and service arrangements.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Cashless listed; device-specific	Confirm reader and provider
NFC / contactless	NFC fitment not established	Confirm enabled methods
QR / scan	QR fitment not established	Confirm provider and setup
Cash / banknotes **Coins** **Coin changer / change**	HTML lists bill, coin and cashless. Graphic lists a coin dispenser; actual cash/change devices require agreement.	Confirm currency, fitted devices and change system.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

Branding (optional)
CONFIRM SELECTED FITMENT

Language: confirm
CONFIRM SELECTED FITMENT

Cart: listed option
CONFIRM SELECTED FITMENT

Protocol: confirm
CONFIRM SELECTED FITMENT

Mechanism: select
CONFIRM SELECTED FITMENT

Payments: confirm
CONFIRM SELECTED FITMENT

PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

Explore six pictured levels.

Six pictured levels show an example assortment. Published about 240 pieces depends on pack size; agree actual accepted products and the tested loading plan.



FULL CABINET



PHOTOGRAPHED PRODUCT BAY

1. Illustrated cup noodles
2. Illustrated bag snacks
3. Illustrated wrapped bars
4. Illustrated bottled drinks
5. Illustrated mixed cans
6. Illustrated canned drinks
7. No seventh pictured level

Photo packs are illustrative, not guaranteed tray allocations. Confirm spacing, lane configuration and units per row.

Confirm the loading plan

PACK FORMAT

Measure actual packs and agree the selected release mechanism before ordering.

LANE SETUP

Match each package to the accepted drawer spacing and selected release type.

LOAD CHECK

Record the tested load. Pack-dependent capacity is not a mixed-load guarantee.

DELIVERY TEST

Test each actual package through the pickup and confirm refill and cleaning access.

HTML pack examples: 100 x 40 x 10 mm / 20 g to 200 x 150 x 150 mm / 500 g. Test actual packs; these references do not guarantee compatibility.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps