FCV-D900V-11L+D900V-ZK(32SP)

More choice. One wide format.

A full-width goods bay with a separate 32-inch selection module. Agree the exact mechanism, packages, cooling and payment setup.

32 inch*
PUBLISHED TOUCHSCREEN

6 levels
PHOTO / SOURCE DRAWERS

240-300*
PIECES / PACK DEPENDENT



LEFT-FACING
● Cedar

FRONT VIEW
● Lagoon

RIGHT-FACING
● Rosewood

Configured for your products.

Illustrative finishes and unpriced menu content on genuine source views. Confirm the supplied cabinet, software, payment devices and product suitability.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Workplace lounge

AUDIENCE

An indoor concept for sealed snacks and refreshments.

ACCESS

Agree demand, actual packs and refill access.

SITE CHECK

Confirm cooling, electrical rating and service clearance.



University common area

An illustrative indoor refreshment point for adult campus users.



Transit waiting area

An indoor concept beside seating and clear pedestrian circulation.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1940 mm*
PUBLISHED HEIGHT

32 inch*
PUBLISHED TOUCHSCREEN

240-300*
PIECES / BY GOODS SIZE

Cabinet + interface

Published H x W x D	**1940 x 1624 x 850 mm**
Published weight	**420 kg; confirm supplied unit**
Published display	**32-inch touchscreen**
Standard interface reference	**MDB / DEX; setup to confirm**

Loading + release

Published drawers	**Six; six pictured stock levels**
Maximum slots reference	**60 in brochure; setup to agree**
Published loading reference	**240-300 pieces; by goods size**
Track / delivery reference	**Coils OR pusher; elevator**



SIX PHOTOGRAPHED LEVELS

Source drawers and pictured rows do not establish per-lane quantities.

ELECTRICAL + INTERFACE

520 W / 40 W (HTML)*

HTML lists AC100V~240, 50/60Hz; brochure lists 100V/240V, 50/60Hz. Confirm the actual variant, protection and rating plate.

Electrical setup: confirm

COOLING + PACK FIT

4-8 C source reference

Confirm selected cooling and actual loaded-product conditions. A published range does not establish food suitability or shelf life.

Refrigerant: confirm selected unit label.

Published watts are not daily energy use.

HTML lists 520 W refrigerated / 40 W normal. These are mode power ratings, not measured daily kWh or a running-cost guarantee.

Printed source code retains both D900V components; a web heading abbreviates the second. Photo shows coils; brochure promotes pushers. Confirm the quoted identity and selected track system.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

The brochure describes customized UI, inventory, remote monitoring, reporting and advertisements. Agree supplied software, access and service scope.

A configurable system

Lifting-platform delivery and infrared shipment detection are described. Confirm supplied functions, chosen tracks and actual pack tests.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Card / wallet examples listed	Confirm terminal and provider
NFC / contactless	Contactless: custom option	Confirm selected enabled methods
QR / scan	QR: customization offered	Confirm provider and activation
Cash / banknotes **Coins** **Coin changer / change**	Bill and coin are listed; a coin dispenser is described in the brochure. Confirm the actual supplied currency and change devices.	Confirm fitted currency, change capability and cash collection arrangements.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

Branding: optional
CONFIRM SELECTED FITMENT

32-inch interface
CONFIRM SELECTED FITMENT

Inventory: optional
CONFIRM SELECTED FITMENT

Lift: described
CONFIRM SELECTED FITMENT

IR: described
CONFIRM SELECTED FITMENT

Payments: confirm
CONFIRM SELECTED FITMENT

PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

Six levels. Your tested mix.

Six stock rows; separate low PULL pickup. HTML: 240-300 pieces for all-beverage loading; brochure: about 240-300 generally. Test the actual mix; max 60 slots is not a photo allocation.



FULL CABINET



PHOTO SECTIONS / TOP TO BOTTOM

1. **Illustrated cup-noodle packs**
2. **Illustrated bagged snacks**
3. **Illustrated wrapped snack bars**
4. **Illustrated bottled drinks**
5. **Illustrated mixed canned drinks**
6. **Illustrated canned drinks**
7. **No seventh photographed stock level**

Ordered photo guide, not spatial leaders or lane counts. Packs do not prove capacity or vend fit.

Confirm the loading plan

PACK FORMAT

Measure actual sealed packs. Confirm selected coil or pusher tracks before allocating lanes.

TEMP CHECK

Agree cooling and test loaded-product conditions. Source ranges are not food approval.

LOADING PLAN

Record tested counts per row. Six photo levels and maximum 60 slots do not guarantee this load.

PICKUP TEST

Trial elevator transfer, detection and low hatch access with the actual agreed packs.

Confirm coil or pusher tracks, elevator transfer and actual sealed-pack tests. Agree loading, cooling, pickup access and refill routines.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps