PROTEIN DRINK MIXING MACHINE / NOT VERIFIED DISPLAY

Protein shakes. Mixed fresh. Your brand.

This protein-drink format uses automatic cup dispensing and stainless-steel in-cup mixing.

Not verified
PUBLISHED DISPLAY

See source
PUBLISHED LAYOUT

Pack dependent
PACK-SIZE DEPENDENT



LEFT-FACING	FRONT VIEW	RIGHT-FACING
Cedar	Lagoon	Rosewood

Configured for your products.

Cedar, Lagoon and Rosewood finish options are shown on the genuine bound view.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Workplace interior

AUDIENCE

FCV Protein Drink Mixing Machine placed in a workplace setting.

ACCESS

Agree access hours and a practical restocking route.

SITE CHECK

Check power, level placement and service clearance.



Healthcare reception area

An illustrative placement near waiting space; agree landlord approvals.



Retail circulation area

An indoor concept, not an installed project. Plan visibility without obstructing circulation.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1780 mm*
CABINET HEIGHT

Not verified
PUBLISHED DISPLAY

Pack dependent
PACK-SIZE DEPENDENT

Cabinet + interface

Dimensions H x W x D	**H: 1780mm, W: 865mm, D:800 mm***
Weight	**225kgs***
Construction	**Metal cabinet**
Display	**Not verified**

Loading + release

Shelves	**Not published***
Selections	**Not published***
Storage reference	**Pack dependent; test with actual stock**
Release options	**Confirm fitted mechanism before ordering**



PHOTO: BOUND GENUINE VIEW

Pictured layout does not establish final lane counts.

ELECTRICAL + INTERFACE

AC 110V-120V/220V-240V 50/60HZ*

No voltage or power schedule is published for this exact page. Confirm the supplied unit rating plate and protection.

Interface row not published

COOLING + PACK FIT

5-92°C (adjustable)*

Test the actual pack range in the real machine before fixing shelf or lane allocation.

Confirm the fitted refrigerant and cooling schedule on the supplied unit label.

Published watts are not daily energy use.

The reviewed model source provides no measured kWh/day figure. Estimate daily cost from a monitored unit on site.

Site readiness: confirm access route, level placement, power, ventilation and service clearance.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

Not verified listed; exact functions confirmed at order stage.

A configurable system

Select branding, interface, integration and fitted hardware to match the agreed setup. Options are confirmed at order stage.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Cashless choices: confirm provider	Select terminal and provider
NFC / contactless	Capability described	Confirm enabled methods
QR / scan	Capability described	Agree provider and setup
Cash / banknotes **Coins** **Coin changer / change**	Not documented for this exact configuration	Do not assume these devices are fitted. Confirm the actual configuration.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

Custom branding / wrap
CONFIRM SELECTED FITMENT

Multilingual interface
CONFIRM SELECTED FITMENT

Shopping cart
CONFIRM SELECTED FITMENT

System integration
CONFIRM SELECTED FITMENT

Castors
CONFIRM SELECTED FITMENT

Cashless provider
CONFIRM SELECTED FITMENT

PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

See the bound genuine view.

The photographed configuration illustrates one stocked example. Final lane widths, quantities and release mechanisms are confirmed at order stage.



FULL CABINET



1 Stocked items shown

2 Stocked items shown

3 Stocked items shown

4 Stocked items shown

5 Stocked items shown

6 Stocked items shown

7 Stocked items shown

CABINET STOCK / TOP TO BOTTOM

The items shown illustrate the photographed stock, not final allocation or guaranteed vend size.

Confirm the loading plan

PACK SIZE

Measure actual packs and test the real lane or bay before fixing quantities.

STOCK MAP

Map the planned range to the published layout; record tested counts per row or compartment.

VEND TEST

Trial-vend each mechanism end-to-end with actual stock before sign-off.

SIGN-OFF

Confirm the supplied configuration, devices and labels against the agreed schedule.

Bound genuine-view reference. Final lane widths, quantities and release mechanisms are confirmed at order stage.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps