OEM / ODM Vending Machine

FCV-NCP-3C(V22) Souvenir Collectibles Vending Machine

TECHNICAL OVERVIEW | FCV-NCP-3C(V22)

This souvenir-collectibles cabinet is explicitly identified as FCV-NCP-3C(V22). Its graphic and matching prose list a 21.5-inch capacitive touchscreen, approximate 1900 × 800 × 800 mm dimensions and approximate 300 kg weight. Three standard trays have a 300-360 item reference and lift-and-push delivery. Souvenir coins and fridge magnets are application examples; a coin-minting or engraving process is not established. Additional trays,cameras,cash hardware and presentation accessories are customisation choices.

Model summary

FCV catalogue reference	FCV-NCP-3C(V22)
Category	OEM / ODM Vending Machine
Screen	21.5 inch
Dimensions H × W × D	Approximately 1900 ×800 ×800 mm
Net weight	Approximately 300 kg
Supply	AC220 V ±10%,50 Hz
Rated power	Around 200 W
Touchscreen	21.5-inch capacitive all-in-one
Standard trays	Three
Item reference	About 300-360 items
Delivery	Lift-and-push

Documented equipment features

- The exact source documents three standard trays and lift-and-push delivery.

Published source configurations

These source descriptions are kept separate. They do not establish that every value belongs to one supplied unit; the FCV quotation identifies the accepted configuration.

Configuration 1

Source model: FCV-NCP-3C(V22) / 1

Display and hardware facts read directly, not inferred from suffix.

Dimensions H × W × D	Approximately 1900 ×800 ×800 mm
Net weight	Approximately 300 kg
Supply	AC220 V ±10%,50 Hz

Rated power	Around 200 W
Touchscreen	21.5-inch capacitive all-in-one
Standard trays	Three
Item reference	About 300-360 items
Delivery	Lift-and-push



Illustrative FCV-branded concept render. Verify the quoted physical configuration.

Configuration and quotation

Specifications reflect the cited source configuration. Optional accessories and alternative configurations are not included as standard unless explicitly identified in the quotation. Confirm payment hardware, power requirements, installation access and service scope for the intended site. No price, stock quantity, delivery date or certification is implied by this overview.

Configuration details to confirm

Payment providers,software licences,warranty and accessories require the written quotation; supplier examples are not universal FCV inclusions.

Souvenir trays and lift-and-push delivery

Three trays are standard; optionalfour/five-tray upgrades are not standard capacity.

Storage / equipment zone	Documented source layout
Storage	Three trays with 300-360 itemreference; no equal per-tray split.
Transfer	Lift-and-push explicitly stated.
Collection	Actual cabinet has a circular collection opening; no minting or engraving mechanism established.

- Select the configured souvenir.
- Complete installed payment.
- Collect the delivered item.

Configuration details

Prepared 27 November 2026 for the FCV product catalogue. Confirm the supplied configuration and site requirements with the FCV team before ordering.

Product information

This FCV technical overview describes the listed equipment configuration. The written quotation confirms the machine, accepted product packs, accessories and service scope supplied for your location.

Confirm before purchase

Ask FCV for the exact model and revision, supplied options, current technical sheet, site suitability, warranty, maintenance scope and written commercial terms. Product images, where present, are conceptual branded renders rather than installation evidence.

Website

first-classvending.com