Footwear Vending Machine

# FCV-S800-10C(22SP) Packaged Footwear Vending Machine

TECHNICAL OVERVIEW | FCV-S800-10C(22SP)

This configuration is presented for packaged flip-flops, flats and ballet shoes. Its exact S 800-10 C(22 SP)table lists 1940×1261×771 mm dimensions,220 kg weight and MDB/DEX interface. The source describes flexible slots, so usable loading depends on the accepted footwear packaging. Generic book, can and bottle labels repeated in the source table are not footwear-capacity evidence. Numeric touchscreen size remains unconfirmed in the inspected exact page.

## Model summary

| | |
|---|---|
| FCV catalogue reference | FCV-S800-10C(22SP) |
| Category | Footwear Vending Machine |
| Screen | Confirm the supplied display configuration |
| Name | Shoes Vending Machine |
| Outside Dimensions | H: 1940mm, W: 1261mm, D: 771 mm |
| Electricity | AC100V/240V,50Hz/60Hz |
| Standard interface | MDB/DEX |
| Weight | 220kg |

## Published source configurations

These source descriptions are kept separate. They do not establish that every value belongs to one supplied unit; the FCV quotation identifies the accepted configuration.

## Configuration 1

Source model: FCV-S800-10C(22SP) / 1

Footwear application table; copied generic book/can/bottle capacity wording and suffix-inferred screen size are excluded.

| | |
|---|---|
| Name | Shoes Vending Machine |
| Outside Dimensions | H: 1940mm, W: 1261mm, D: 771 mm |
| Electricity | AC100V/240V,50Hz/60Hz |
| Standard interface | MDB/DEX |
| Weight | 220kg |

## Configuration 2

Source model: FCV-S800-10C(22SP) / 2

The exact footwear page describes flexible slots for flip-flops, flats and ballet shoes. It does not publish an exact footwear-per-lane loading plan.

| | |
|---|---|
| Flexible footwear slots | Slot setup depends on the approved shoe packaging rather than a universal shoe count. |
| Pack delivery | Pack dimensions and rigidity must suit the actual installed dispensing setup. |
| Collection compartment | Customers retrieve the selected packaged footwear at the cabinet collection opening. |




Illustrative FCV-branded concept render. Verify the quoted physical configuration.

## Configuration and quotation

Specifications reflect the cited source configuration. Optional accessories and alternative configurations are not included as standard unless explicitly identified in the quotation. Confirm payment hardware, power requirements, installation access and service scope for the intended site. No price, stock quantity, delivery date or certification is implied by this overview.

## Configuration details to confirm

Multiple official application/configuration listings share this published reference; this page records their grouped identity without asserting a unique new chassis.

Optional features, certifications and service terms must be confirmed for the quoted configuration.

The source table contains a Book Vending Machine name and generic can/bottle/box wording on a shoe page. Treat these as publisher template contamination, not footwear-specific facts.

Numeric display size was not explicitly recovered from the exact footwear page. The22SPmodel suffix is not screen-size evidence.

## Packaged-footwear slot layout

The exact footwear page describes flexible slots for flip-flops, flats and ballet shoes. It does not publish an exact footwear-per-lane loading plan.

| Storage / equipment zone | Documented source layout |
| --- | --- |
| Flexible footwear slots | Slot setup depends on the approved shoe packaging rather than a universal shoe count. |
| Pack delivery | Pack dimensions and rigidity must suit the actual installed dispensing setup. |
| Collection compartment | Customers retrieve the selected packaged footwear at the cabinet collection opening. |

- Stock the approved packaged footwear format in its configured slots.
- Use the machine selection and installed payment flow.
- Retrieve the dispensed pack from the collection compartment.

# Configuration details

Prepared 27 November 2026 for the FCV product catalogue. Confirm the supplied configuration and site requirements with the FCV team before ordering.

## Product information

This FCV technical overview describes the listed equipment configuration. The written quotation confirms the machine, accepted product packs, accessories and service scope supplied for your location.

## Confirm before purchase

Ask FCV for the exact model and revision, supplied options, current technical sheet, site suitability, warranty, maintenance scope and written commercial terms. Product images, where present, are conceptual branded renders rather than installation evidence.

## Website

first-classvending.com