SOFT-SERVE MACHINE / LANDSCAPE DISPLAY

Showfront serve. Cup by cup.

A soft-serve cabinet with a landscape display panel, Take Out ordering flow and lower collection hatch. Two

~90*
CUPS (LISTED)

1800 W*
MAX POWER

260 kg*
PUBLISHED WEIGHT



LEFT-FACING	FRONT VIEW	RIGHT-FACING
Cedar	Lagoon	Pink / White

Configured for your products.

Cedar, Lagoon and Rosewood finish options are shown on the genuine bound view.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Mall soft-serve island

AUDIENCE

A soft-serve cabinet beside a mall circulation space.

ACCESS

Agree the range, schedule and refill routine.

SITE CHECK

Check floor loading (260 kg), the selected cabinet schedule and clearance.



Cinema dessert point

An illustrative placement near amenities, not an installed project.



Attraction ice-cream wall

An indoor concept beside circulation; agree access hours and approvals.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1800 mm*
SHARED HEIGHT

~90*
CUPS (LISTED)

260 kg*
PUBLISHED WEIGHT

Cabinet + interface

Artwork H x W x D	**1800 x 1208 x 855 mm**
Table W x D	**740 x 800 mm**
Display statements	**32-in landscape vs 22-in**
Collection	**Take Out + lower hatch**

Loading + release

Standard circuits	**1 milk + 3 jam + 1 nut**
Upgraded circuits	**1 milk + 3 jam + 3 nut**
Payment listing	**Bill/coin/card (optional)**
Collection	**Lower hatch pictured**



ENCLOSED SERVE MECHANISM

The serve mechanism is enclosed; the display, Take Out flow and

ELECTRICAL + INTERFACE

1800 W max / <200 W std*

Published power figures are mode ratings on AC 100-240 V, not measured daily kWh.

Anti-pinch door

COOLING + PACK FIT

Schedule conflict*

Artwork and table publish incompatible width/depth figures; confirm the supplied cabinet.

Soft-serve configuration described; thawing and cleaning features are identified in the source family.

Published watts are not daily energy use.

Cup stock is a source-stated ~90; actual yield depends on mix, circuit setup and service routine.

The artwork shows a 32-inch landscape display at 1800x1208x855 while the table lists 22-inch at 740x800 — both retained until the supplied build is confirmed.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

A narrow payment column is pictured beside the Take Out button; bill/coin/card is an optional source listing. Agree the supplied device scope.

A configurable system

Finishing circuits feed the collection hatch. Confirm the supplied schedule, configuration and cup stock.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Not documented	Confirm terminal and provider
NFC / contactless	Optional listing	Confirm enabled methods
QR / scan	Pay column pictured*	Confirm fitted devices
Cash / banknotes **Coins** **Coin changer / change**	Payment hardware, provider scope and software licensing are specified in the quotation, not by imagery.	Do not assume devices are fitted or enabled. Confirm provider, currency and collection.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

Enclosed serve
CONFIRM SELECTED FITMENT

~90 cups*
CONFIRM SELECTED FITMENT

Landscape display*
CONFIRM SELECTED FITMENT

Take Out flow*
CONFIRM SELECTED FITMENT

Pay column pictured*
CONFIRM SELECTED FITMENT

Payments: confirm
CONFIRM SELECTED FITMENT

PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

Map the flow. Test the serve.

Pictured layout: landscape ad panel above the Take Out button and payment column over the lower



FULL CABINET



AD PANEL + TAKE-OUT FLOW

1. Display panel
2. Take Out button
3. Payment column
4. Milk circuit
5. Jam circuits
6. Nut circuit(s)
7. Collection hatch

Numbered zones mark the photographed customer-flow stages.

Confirm the loading plan

SCHEDULE CHECK

Two incompatible schedules (landscape 1208-wide vs 740-wide table) stay separate —

CIRCUIT MAP

Register the supplied ingredient circuits (1+3+1 vs 1+3+3); cup stock is ~90 per the source.

FLOW TEST

Exercise the ordering flow through the Take Out button and lower collection hatch end-to-end.

POWER CHECK

Max 1800 W / standard <200 W are published mode figures — confirm the supplied

Confirm the supplied schedule and circuit configuration; trial-serve each flavour before launch.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps