Beverage Vending Machine

FCV-CSC-10C(V22) Boxed Milk Vending Configuration

TECHNICAL OVERVIEW | FCV-CSC-10C(V22)

The official milk-vending parameter graphic identifies this previously unnamed entry as FCV-CSC-10C(V22). It specifies six drawers, a maximum of about 60 choices and approximately 360 pieces, with storage dependent on the size of the goods. Its listed cabinet dimensions are 1,940 mm high, 1,294 mm wide and 870 mm deep, and the documented weight is 300 kg. Refrigeration is adjustable from 4°C to 25°C. The illustrated product arrangement is a merchandising example rather than a replacement for the table's six-drawer statement. This configuration therefore keeps the named model and documented internal storage together while leaving individual milk-pack quantities to a separately agreed loading arrangement.

Model summary

FCV catalogue reference	FCV-CSC-10C(V22)
Category	Beverage Vending Machine
Screen	Confirm the supplied display configuration
Dimensions	H 1940 × W 1294 × D 870 mm
Weight	300 kg
Selections	Maximum about 60 choices
Capacity	About 360 pcs according to goods size
Interior storage	6 drawers
Temperature	4-25°C adjustable
Voltage	100 V / 240 V, 50 Hz / 60 Hz
Interface	MDB / DEX

Published source configurations

These source descriptions are kept separate. They do not establish that every value belongs to one supplied unit; the FCV quotation identifies the accepted configuration.

Configuration 1

Source model: FCV-CSC-10C(V22) / 1

The exact milk-vending parameter graphic documents this named configuration. Product-specific milk pack suitability remains untested.

Dimensions	H 1940 × W 1294 × D 870 mm
Weight	300 kg
Selections	Maximum about 60 choices
Capacity	About 360 pcs according to goods size

Interior storage	6 drawers
Temperature	4-25°C adjustable
Voltage	100 V / 240 V, 50 Hz / 60 Hz
Interface	MDB / DEX



Illustrative FCV-branded concept render. Verify the quoted physical configuration.

Configuration and quotation

Specifications reflect the cited source configuration. Optional accessories and alternative configurations are not included as standard unless explicitly identified in the quotation. Confirm payment hardware, power requirements, installation access and service scope for the intended site. No price, stock quantity, delivery date or certification is implied by this overview.

Configuration details to confirm

The exact FCV-CSC-10C(V22) graphic gives H 1940 × W 1294 × D 870 mm, 300 kg, six drawers and about 360 pieces by goods size.

No numeric selection-screen diagonal is stated; the V22 code is not a measurement.

A separate warehouse-capacity graphic advertises 300 displayed plus 500 reserve units without a matching reserve installation drawing. It is not adopted as a default 800-piece load.

Milk-pack illustrations do not establish a safe temperature regime for every dairy product.

Explore the documented storage and delivery format

The layout below follows the named official source configuration. Variant-specific information remains separate; individual product allocations are not supplied unless documented.

Storage / equipment zone	Documented source layout
Interior storage	6 drawers

- Identify the FCV-CSC-10C(V22) model printed in the milk-vending parameter table.
- Check the documented six drawers rather than counting stocked rows in the illustration.
- Plan selections against the maximum of about 60 choices.
- Keep the approximate 360-piece storage statement conditional on the size of the goods.

Configuration details

Prepared 27 November 2026 for the FCV product catalogue. Confirm the supplied configuration and site requirements with the FCV team before ordering.

Product information

This FCV technical overview describes the listed equipment configuration. The written quotation confirms the machine, accepted product packs, accessories and service scope supplied for your location.

Confirm before purchase

Ask FCV for the exact model and revision, supplied options, current technical sheet, site suitability, warranty, maintenance scope and written commercial terms. Product images, where present, are conceptual branded renders rather than installation evidence.

Website

first-classvending.com