BEAN-TO-CUP / + ICE MAKER

Hot or iced. Ground fresh.

A bean-to-cup coffee cabinet with a built-in ice maker and six ingredient canisters. Two published

6 x 4 L*
CANISTERS

180*
CUP STORE

1940 mm*
PUBLISHED HEIGHT



LEFT-FACING	FRONT VIEW	RIGHT-FACING
Cedar	Lagoon	Cream / Brown

Configured for your products.

Cedar, Lagoon and Rosewood finish options are shown on the genuine bound view.

PLACE THE EXPERIENCE IN CONTEXT

A useful stop in the daily flow.

Illustrative placement concepts show how the format could sit in a planned environment. They are not photographs of completed FCV installations.



Cafe-corner station

AUDIENCE

A bean-to-cup cabinet beside a seating or breakout space.

ACCESS

Agree the drink range, cup sizes and cleaning routine.

SITE CHECK

Check water supply, waste access and ice handling.



Breakout coffee point

An illustrative placement near amenities, not an installed project.



Hotel coffee counter

An indoor concept beside circulation; agree access hours and approvals.

PUBLISHED MODEL DATA / CONFIRM THE SUPPLIED CONFIGURATION

A clearer view of the specification.

1940 mm*
PUBLISHED HEIGHT

9 bar*
EXTRACTION

795 mm*
PUBLISHED DEPTH

Cabinet + interface

Cabinet width	**900 mm**
Net weight	**265 kg**
Grinder	**64 mm flat burr**
Bean hopper	**1.5 kg**

Loading + release

Supply	**AC 110-240 V**
Brew range	**92-98 C (conflict)**
Ice storage	**3.9-8 kg (conflict)**
Lids	**130-180 (conflict)**



GRIND, BREW, ICE

Beans drop to the burr grinder, the shot brews at 9 bar, and the built-in ice

ELECTRICAL + INTERFACE

3200 W rated (230 V)*

Published rating is a statement; measured daily energy use is not published.

Screen size conflict

COOLING + PACK FIT

Ice figures conflict*

Storage 3.9 vs 3-8 kg; the HTML 25 kg/24 h claim is unresolved.

Brew cabinet layout described; grinder, ice path and cup recess need testing per recipe.

Published watts are not daily energy use.

Two published schedules conflict on screen, lids, grounds containers and ice — retained separately.

The bound view is the approved v2 candidate after an independent v1 hold; no left or front source exists.

PUBLISHED CAPABILITY / SELECTED FITMENT

Digital at the front. Clear behind it.

Specify the customer experience and the fitted hardware separately. A published option is not a promise that every device is installed.

Customer experience

A payment block is pictured beside the cup recess; fitted payment devices and providers are not verified. Agree the supplied device scope.

A configurable system

The brew flow serves hot and iced drinks. Confirm the supplied interface, canister load and cleaning cycle.

Payment methods + fitment

METHOD	PUBLISHED CAPABILITY	SELECTED SETUP
Cards	Not documented	Confirm terminal and provider
NFC / contactless	Not verified	Confirm enabled methods
QR / scan	Block pictured*	Confirm fitted devices
Cash / banknotes **Coins** **Coin changer / change**	Payment hardware, provider scope and software licensing are specified in the quotation, not by imagery.	Do not assume devices are fitted or enabled. Confirm provider, currency and collection.

Confirm reader, currency, enabled methods, SIM/network, merchant onboarding, fees and refund process. MDB/DEX does not by itself confirm every device or provider. Agree software, reporting and inventory scope separately.

Published options to select

6 canisters*
CONFIRM SELECTED FITMENT

Ice maker*
CONFIRM SELECTED FITMENT

180 cups*
CONFIRM SELECTED FITMENT

Lid feed*
CONFIRM SELECTED FITMENT

Block pictured*
CONFIRM SELECTED FITMENT

Payments: confirm
CONFIRM SELECTED FITMENT

PHOTOGRAPHED CONFIGURATION / AGREED LOADING PLAN

Map the flow. Test the brew.

Pictured layout: coffee menu screen beside an upper hopper window, cup recess and payment block on the right column; cream cabinet with brown trim on castors.



FULL CABINET



MENU & CUP SERVICE COLUMN

1. Menu screen
2. Hopper window
3. Cup recess
4. Payment block
5. Coin return
6. Vent panel
7. Castors

Numbered zones mark the photographed customer-flow stages.

Confirm the loading plan

BEAN HOPPER

1.5 kg bean hopper feeds the 64 mm flat-burr grinder — check bean level, lid seal and grinder calibration.

CANISTER MAP

Six 4 L ingredient canisters — confirm powder flow per canister and record the product schedule.

ICE SYSTEM

Built-in ice maker with 3.9 kg published storage — check bin level, chute clearance and clean cycle.

SCHEDULE CHECK

Screen size, lid count, grounds containers and ice figures conflict between schedules — confirm

Confirm the supplied interface and canister load; run a water-only brew test before loading beans.

THREE WAYS TO OPERATE / PRICING TAILORED TO YOUR SITE

Choose your operating plan.

Select the responsibility split for your machine, products and service. Prices and the final terms are confirmed for your chosen setup.

01 / SELF-OPERATE

Own + operate

Pay 100% of the machine price upfront. Own the equipment and manage products and daily operation.

02 / FIXED MONTHLY FEE

Your products. FCV service.

You provide products. FCV handles agreed refilling, maintenance, technical and software support.

03 / FULLY MANAGED

FCV manages

Customer buys the machine. FCV owns products, sets retail prices, and manages restocking, technical/software support, maintenance and complaints.

RESPONSIBILITY	SELF-OPERATE	FIXED FEE	FCV MANAGED
Products	You	You	FCV
Retail prices	You	Agreed scope	FCV
Restocking	You	FCV in agreed scope	FCV
Care + software	Agree separately	FCV in agreed scope	FCV
Customer issues	You	Agreed scope	FCV

Fully managed: purchase and agreed share

MACHINE PURCHASE

100% Customer pays the agreed machine price in full. The customer owns the equipment.

GROSS-SALES SHARE: UP TO

25% The owner share of monthly gross sales is agreed by performance.

The contract term, machine ownership and operating responsibilities are confirmed before the managed agreement is finalised.

Monthly gross-sales share is agreed by sales performance, up to 25%. No minimum share or sales result is promised.

Pricing tailored to your setup.

Request a personalised quotation for your selected machine, configuration and operating plan.

Get pricing on WhatsApp

Contact FCV

Main website | This model | Google Maps